

Print date: 21.02.2018



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Supreme Auto Bath

Revision date: 11.07.2017 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Supreme Auto Bath

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Cleaner Concentrate

## Uses advised against

Reserved for industrial and professional use.

#### 1.3. Details of the supplier of the safety data sheet

Carrus Cultus GmbH Company name:

Turley-Str.8 Street:

Place: D-68167 Mannheim +49 621 483 450 260 Telephone: info@herrenfahrt.com e-mail: Andreas Werner

Contact person: Telephone: +49 621 483 450 26 a.werner@herrenfahrt.com

e-mail: www.herrenfahrt.com

Internet:

Poison Control Center (Mayence, GER)(Monday to Friday from 10:00 to

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



## **Hazard statements**

H319 Causes serious eye irritation.

# **Precautionary statements**

P264 Wash hands thoroughly after handling. P280 Wear Wear eye protection/face protection..

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

### 2.3. Other hazards

Avoid contact with eyes.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 2 of 10

## **Chemical characterization**

see below Labelling for contents according to regulation (EC) No. 648/2004, Dyestuff., Additional information: organic acids

## **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulat	•		
147170-44-3	1-Propanaminium, 3-amino-N-(cart C18 unsaturated) acyl derivs., hydr	3 (even numbered) and	5 - < 10 %	
	931-333-8		01-2119489410-39	
	Eye Dam. 1, Aquatic Chronic 3; H3			
94095-35-9	Fatty acids, C18 unsatd., reaction p	products with triethanolamine, di-Me	sulfate-quaternized	1 - < 5 %
	931-216-1		01-2119472309-33	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
85536-23-8	PEG-4 Rapeseedamide			1 - < 5 %
	Skin Irrit. 2; H315			
64-19-7	Acetic acid			1 - < 5 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A; H226 F			
96690-44-7	Quaternary ammonium compounds	s, C12-14-alkyltrimethyl, Me sulfates		< 1 %
	306-238-4			
	Acute Tox. 4, Skin Corr. 1B, Eye Da	); H302 H314 H318 H400		
61788-90-7	Amines, coco alkyldimethyl, N-oxid	es		< 1 %
	263-016-9		01-2119490061-47	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H315 H318 H400 H411	, Aquatic Chronic 2; H302		
5989-27-5	Fragrance Limonene		0,01-<0,1 %	
	227-813-5	601-029-00-7	01-2119529223-47	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens H315 H317 H400 H410	Aquatic Chronic 1; H226		
78-70-6	Linalool		0,01-<0,1 %	
	201-134-4		01-2119474016-42	
	Skin Irrit. 2, Eye Irrit. 2A; H315 H31			
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-b		<0,005 %	
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H400	302 H315 H318 H317		
2682-20-4	2-Methyl-(2H)-isothiazol-3-on		<0,005 %	
	220-239-6			
	Acute Tox. 2, Acute Tox. 3, Skin Co 1), Aquatic Chronic 2; H330 H301	quatic Acute 1 (M-Factor =		

Full text of H and EUH statements: see section 16.

## Labelling for contents according to Regulation (EC) No 648/2004

5% - < 15% amphoteric surfactants, < 5% cationic surfactants, 5% - < 15% non-ionic surfactants, perfumes (Limonene, Linalool), preservation agents (Benzisothiazolinone, Methylisothiazolinone).

#### **Further Information**

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 3 of 10

(EC) No.648/2004 on detergents.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### After inhalation

not applicable

## After contact with skin

After contact with skin, wash immediately with: Water.

After cleaning apply high-fat content skin care cream.

## After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### After ingestion

Do NOT induce vomiting. Seek medical advice.

Let water be drunken in little sips (dilution effect).

# 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Give Dimeticon (Defoamer).

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

The product itself does not burn.

Co-ordinate fire-fighting measures to the fire surroundings.

## 5.2. Special hazards arising from the substance or mixture

No special fire protection measures are necessary.

# 5.3. Advice for firefighters

No special fire protection measures are necessary.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

The following must be prevented:

skin contact.

Eye contact.

## 6.2. Environmental precautions

Suitable material for diluting or neutralizing:

Water.

# 6.3. Methods and material for containment and cleaning up

Methods of cleaning - small amounts of spilled material: Dilute with plenty of water.

Methods of cleaning - large amounts of spilled material: Take up mechanically, placing in appropriate containers for disposal.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid the formation of aerosol.

Keep container tightly closed.

The following must be prevented:

skin contact.

Eye contact.



according to Regulation (EC) No 1907/2006

### **Supreme Auto Bath**

Revision date: 11.07.2017 Page 4 of 10

#### Advice on protection against fire and explosion

Not combustible.

#### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Store only in original container.

Ensure adequate ventilation of the storage area.

#### Advice on storage compatibility

No special precautionary measures are necessary.

## Further information on storage conditions

Recommended storage temperature: up to °C: 30

#### 7.3. Specific end use(s)

Automotive cleaning products

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	EU
		15	37		STEL (15 min)	EU

#### 8.2. Exposure controls

## Protective and hygiene measures

Avoid contact with skin and eyes.

Wash hands before breaks and after work.

# Eye/face protection

Tightly sealed safety glasses.

# **Hand protection**

Wear suitable gloves.

Neopren, NR (Natural rubber (Caoutchouc), Natural latex)., CR (polychloroprenes, Chloroprene rubber)., NBR (Nitrile rubber).

## Skin protection

Body protection: not required.

## Respiratory protection

Respiratory protection not required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: red (clear)
Odour: fruity

Test method

pH-Value (at 20 °C): approx. 4,0

Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: 102 °C
Ignition temperature: >250 °C



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 5 of 10

## **Oxidizing properties**

not oxidizing.

Vapour pressure: approx. 23 hPa
Density: 1,01 g/cm³
Water solubility: miscible.
Solvent content: 0%

## 9.2. Other information

Not combustible.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No risks worthy of mention.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## 10.4. Conditions to avoid

No risks worthy of mention.

# 10.5. Incompatible materials

No risks worthy of mention.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapors.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

Print date: 21.02.2018



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 6 of 10

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
147170-44-3	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated) acyl derivs., hydroxides, inner salts							
	oral	LD50 mg/kg	>5000	Rat				
94095-35-9	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized							
	oral	LD50 mg/kg	>2000	Rat				
85536-23-8	PEG-4 Rapeseedamide							
	oral	LD50 mg/kg	>2000	Rat				
64-19-7	Acetic acid							
	oral	LD50 mg/kg	3310	Rat	GESTIS			
96690-44-7	Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates							
	oral	ATE mg/kg	500					
61788-90-7	Amines, coco alkyldimethyl, N-oxides							
	oral	LD50 mg/kg	>2000	Rat		OECD 401		
5989-27-5	Fragrance Limonene							
	oral	LD50 mg/kg	> 2000	Rat				
	dermal	LD50 mg/kg	> 2000	Rabbit	IUCLID			
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one							
	oral	ATE mg/kg	500					
2682-20-4	2-Methyl-(2H)-isothiazol-	3-on						
	oral	ATE mg/kg	100					
	inhalative vapour	ATE	0,5 mg/l					
	inhalative aerosol	ATE	0,05 mg/l					

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **Practical experience**

## Other observations

Has de-greasing effect on the skin.

After cleaning apply high-fat content skin care cream.



according to Regulation (EC) No 1907/2006

# **Supreme Auto Bath**

Revision date: 11.07.2017 Page 7 of 10

# **SECTION 12: Ecological information**

## 12.1. Toxicity

CAS No	Chemical name	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
47170-44-3	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18 unsaturated) acyl derivs., hydroxides, inner salts									
	Acute fish toxicity	LC50	5,2 mg/l	96 h	Leuciscus idus					
	Acute algae toxicity	ErC50	24 mg/l	96 h						
	Acute crustacea toxicity	EC50 mg/l	17,3	48 h	Daphnia magna					
94095-35-9	Fatty acids, C18 unsatd.,	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized								
	Acute fish toxicity	LC50	4,8 mg/l	96 h						
	Acute algae toxicity	ErC50	2,1 mg/l	72 h						
	Acute crustacea toxicity	EC50	2,2 mg/l	48 h						
85536-23-8	PEG-4 Rapeseedamide									
	Acute fish toxicity	LC50	13 mg/l	96 h						
	Acute algae toxicity	ErC50	20 mg/l	72 h						
	Acute crustacea toxicity	EC50	7 mg/l	48 h						
64-19-7	Acetic acid									
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna	Janssen et al				
96690-44-7	Quaternary ammonium compounds, C12-14-alkyltrimethyl, Me sulfates									
	Acute fish toxicity	LC50 mg/l	1-10	96 h						
61788-90-7	Amines, coco alkyldimethyl, N-oxides									
	Acute fish toxicity	LC50 mg/l	>1-10	96 h	Salmo gairdneri					
	Acute algae toxicity	ErC50 mg/l	0,1-1,0	72 h	Pseudokirchneriella subcapitata		OECD 201			
	Acute crustacea toxicity	EC50	2,9 mg/l	48 h	Daphnia magna		OECD 202			
	Algea toxicity	NOEC 0,1 mg/l	>0,01-	3 d	Pseudokirchneriella subcapitata		OECD 201			
5989-27-5	Fragrance Limonene									
	Acute fish toxicity	LC50	0,7 mg/l	96 h	Pimephales promelas					
	Acute crustacea toxicity	EC50 mg/l	0,42		Daphnia magna					

# 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

# 12.3. Bioaccumulative potential

Does not accumulate in organisms.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	Acetic acid	-0,17
5989-27-5	Fragrance Limonene	4,23

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



according to Regulation (EC) No 1907/2006

# **Supreme Auto Bath**

Revision date: 11.07.2017 Page 8 of 10

#### 12.6. Other adverse effects

No risks worthy of mention.

#### **Further information**

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

Chemical Oyxgen Demand (COD) [mg O2/g Produkt]: 320

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

#### Waste disposal number of waste from residues/unused products

200130 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents other than those mentioned in 20 01 29

#### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

## Contaminated packaging

Water

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

Consult supplier about waste disposal.

Cleaned containers may be recycled.

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of these transport regulations.14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

Keep container tightly closed.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Print date: 21.02.2018



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 9 of 10

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Fragrance Limonene

2004/42/EC (VOC): Volatile organic compounds (VOC) content in percent by weight: 0

#### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation):

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer: not applicable not applicable

This mixture contains the following substances of very high concern (SVHC) which are included in the

Candidate List according to Article 59 of REACH: none

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: none

### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18 (even numbered) and C18

unsaturated) acyl derivs., hydroxides, inner salts

Acetic acid

Fragrance Limonene

Linalool

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,3,8,9,15.

# Abbreviations and acronyms

2003/15/EG: contains a list of allergenic fragrance substances

648/2004 (EG): Detergents Regulation

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

TLV: Threshold Limiting Value (is a level to which it is believed a worker can be exposed day after day for a working lifetime without adverse effects)

ATEmix: Acute Toxicity Estimates of a mixture

CAS: Chemical Abstracts Service (subdivision of the American Chemical Society)

CAS no: a unique numerical identifier assigned by Chemical Abstracts Service to every chemical substance (rarely a group of substances), described in the open scientific literature

CLP, 1272/2008 (EC): Regulation of the european parliament on Classification, Labelling and Packaging of

Substances and Mixtures

COD: chemical oxygen demand

**DNEL: Derived No Effect Level** 

EC50: half maximal effective concentration (toxicity value), effect on 50% of the test population

EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

EN: European Standards

ErC50: median inhibitory concentration of growth rate (algal inhibition test), effect on 50% of the test population

EUH-phrase (-Code): precautionary statement (EC-specified, not derived from GHS)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals (of the United nations)

hPa: Hectopascal (1000 hPa= 1bar)
H-phrase (-Code): hazardous statement
IATA: International Air Transport Association

IBC-Code: The IBC Code provides an international standard for the safe carriage in bulk by sea of dangerous



according to Regulation (EC) No 1907/2006

**Supreme Auto Bath** 

Revision date: 11.07.2017 Page 10 of 10

chemicals

ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization

IUCLID: International Uniform Chemical Information Database

LC50: median lethal (killing) concentraion (toxicity value), effect on 50% of the test population

LD50: median lethal (killing) dose, effect on 50% of the test population

log Kow: partition-coefficient between octanol and water (measures how hydrophilic or hydrophobic a chemical

substance is)

MARPOL: Maritime Pollution Convention

OECD: Organisation for Economic Co-operation and Development OECD 301 (A-F: methods for determination of biodegradibility

PBT: persistent, bioacculumative and toxic (substances that have high resistance to degradation from abiotic

and biotic factors, high mobility in the environment and high toxicity)

PNEC: Predicted No Effect Concentration ppm: parts per million, 10000ppm=1% P-phrase (-Code): precautionary statement

REACH, 1907/2006 (EC): Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulation concerning the Carriage of Dangerous Goods by Rail (

STOT RE: Specific Target Organ Toxicity (repeated exposure) STOT SE: Specific Target Organ Toxicity (single exposure)

**UN: United Nations** 

VOC: Volatile Organic Compounds

vPvB: very persistent and very bioaccumulative (s.PBT)

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. Causes severe skin burns and eye damage. H314 H315 Causes skin irritation. May cause an allergic skin reaction. H317 H318 Causes serious eve damage. H319 Causes serious eve irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Print date: 21.02.2018